Commented and and and

ATTORNEY DOCKET NO: 72143

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : BUHL et al.

Serial No. : 10/595,304

Confirm. No.: 7117

Filed : April 6, 2006

For : MOTOR VEHICLE

Art Unit : N/A

Examiner : N/A

Dated

: April 10, 2006

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

It is requested that the Examiner consider references which have come to Applicant's attention and are listed on the attached 1449 form.

- DE 196 24 242 discloses a vehicle front wheel suspension with rigid axle. The reference is discussed in the introductory portion of the application. The reference has also been cited in the corresponding German Examination Proceeding as well as in the PCT Search Report. In the International Search Report the reference is cited under Category A.
- DE 100 58 628 has been cited in the German Examination Proceeding. The reference discloses an axle (1) with steered wheels (2, 3). A transmission element (14-20) is hinged directly or indirectly to the axle. No translation of this reference is available to Applicant at this time. However, an English language abstract is attached.

- DE 197 56 059 has been cited in the German Examination Proceeding. The reference discloses a guiding device for rigid axle. At least three longitudinal struts are provided including two longitudinal wheel-guiding struts. These are coupled via a multi-axle joint. No full translation of this reference is available to Applicant at this time. However, an English language abstract is attached.
- DE 37 40 784 has been cited in the German Examination Proceeding. The reference discloses an axle linkage for a steerable rigid axle. Axle supporting elements are arranged in front of the rigid axle body pivotably mounted to this as well as to the vehicle frame. No full translation of this reference is available to Applicant at this time. However, an English language abstract is attached.
- DE 691 00 970 discloses an automotive vehicle rear-axle assembly. A Panhard rod 12 is mounted transversely and has one of its ends pivoted on a trailing arm located in the vicinity of the axis of the rear wheel. The other end is pivoted on the body located in the vicinity of the pivot axis of the other trailing arm. This reference has been cited in the corresponding German Examination Proceeding. No translation of this reference is available to Applicant at this time. However, Applicant attaches and English language abstract.

4

- DE 198 41 410 has been cited in the German Examination Proceeding. The reference discloses a ball-and-socket joint which is especially for a vehicle chassis. No translation of this reference is available to Applicant at this time. However, Applicant attaches an English language abstract.
 - DE 44 40 029 has been cited in the corresponding German Examination Proceeding.

The reference discloses a vehicle axle with two wheels. Guide rods are connected via a coupling strut. No full translation of this reference is available to Applicant at this time. However, Applicant attaches an English language abstract.

- U.S. 1,609,382 has been cited in the German Examination Proceeding.
- DE 197 55 020 has been cited in the German Examination Proceeding. THE reference discloses an axle joint. Applicant also cites herewith U.S. 6,213,675 which is the corresponding U.S. document. Consideration of both references is requested.
- DE 199 49 451 has been cited in the German Examination Proceeding. The reference discloses a crank bend axle for a motor vehicle. A rod steering unit is fitted to one edge of the triangular steering unit. The rod steering unit and the triangular steering unit are coupled in an articulated manner by a connecting component 79. No translation of this reference is available to Applicant at this time. However, Applicant attaches an English language abstract.
- DE 690 01 700 has been cited in the German Examination Proceeding. The reference discloses a motor vehicle rear wheel set. Ends of two trailing arms are connected to the body 2 of the vehicle by flexible joints. No translation of this reference is available to Applicant at this time. However, Applicant attaches an English language abstract.
 - U.S. 2,087,271 has been cited in the German Examination Proceeding.
- FR 2.054.788 has been cited in the International Search Report with the entire document indicated to be relevant and cited under Category X as to International claims 1, 3, 4 and 6 and under Category Y as to International claims 5, 7 9. No translation of this reference is available to Applicant at this time.

- U.S. 1,643,970 has been cited under Categories X and Y in the International Search Report.
- DE 40 11 179 has been cited in the International Search Report under Category Y as to International claims 5, and 7 9 and under Category A as to International claims 1 4. Column 2 lines 55 67 and claims 1 and 2 are indicated to be relevant. No translation is available to Applicant at this time. However, Applicant attaches an English language abstract.
- U.S. 2,607,617 has been cited under Category Y as to International claim 10 and under technological background as to International claims 2, 3 and 6.
- US 2002/0136596 has been cited under Category Y with the abstract and figures indicated to be relevant to International claims 11 and 12.
- EP 1 254 789 has been cited under Category A in the International Search Report as relevant to International claims 1 7 and 10 with Figs. 2 and 3 indicated to be relevant. The reference discloses a method of manufacturing an arm. The reference corresponds with U.S. 6,745,610 which is also cited herein.
- U.S. Patent 6,390,485 has been cited under Category A as to International claims 1 4, 6 and 10.

The Publication "One Piece Toe Link Assembly" has been cited under Category A in the International Search Report.

-FR 2 693 955 has been cited under Category A in the International Search Report with Fig. 2 indicated to be relevant to International claim 10. The reference discloses a suspension link for vehicle multi-link suspension with ball joint ends. A screwed rod is provided which is

adjustable for length between chassis and wheel hub carrier. No full translation of this reference is available to Applicant at this time. However, Applicant attaches an English language abstract.

Consideration of the references is requested.

Respectfully submitted for Applicant,

By:

John James McGlew

Registration No. 31,903

McGLEW AND TUTTLE, P.C.

JJM:tf 72143.5A

Enclosed:

PTO/SB/08a Form

copy of International Search Report

copies of (15) References

copies of (12) English Abstracts

DATED:

April 10, 2006

SCARBOROUGH STATION

SCARBOROUGH, NEW YORK 10510-0827

(914) 941-5600

SHOULD ANY OTHER FEE BE REQUIRED, THE PATENT AND TRADEMARK OFFICE IS HEREBY REQUESTED TO CHARGE SUCH FEE TO OUR DEPOSIT ACCOUNT 13-0410.

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS EXPRESS MAIL IN AN ENVELOPE ADDRESSED TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, NO.: EV435293787US

McGLEW AND TUTTLE, P.C.

SCARBOROUGH STATION, SCARBOROUGH, NY 10510-0827

BY: You't run toute

_ DATE: <u>April 10, 2006</u>

PTO/SB/08a (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Application Number		10595304	
	Filing Date	 	2006-04-06	
INFORMATION DISCLOSURE	First Named Inventor BUHL		JHL et al.	
STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Art Unit		N/A	
(NOT TO! Subminssion under 37 CFR 1.33)	Examiner Name	N/A		· · · · · · · · · · · · · · · · · · ·
	Attorney Docket Num	ber	72143	

				U.S	.PATENTS	
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear
	1	1609382		1926-12-07	Reich	
•	2	6213675		2001-04-10	Ungruh et al.	
.	3	2087271		1937-07-20	Weiss	
,	4	1643970		1927-10-04	Wilkins	2-4, 6 5, 7-12
	5	2607617		1947-06-09	Pringle	10 2, 3, 6
	6	6390485		2002-05-21	Cadden	1-4, 6, 10
If you wisl	h to ac	l dd additional U.S. Patei	nt citatio	n information p	please click the Add button.	
	da e		U.S.P	ATENT APPL	ICATION PUBLICATIONS	
Examiner Initial*	Cite No	Publication Number	Kind Code ¹	Publication Date	Name of Patentee or Applicant of cited Document	Pages, Columns, Lines where Relevant Passages or Relevant Figures Appear

(Not for submission under 37 CFR 1.99)

Application Number	_	10595304	
Filing Date	,	2006-04-06	
First Named Inventor	BUH	IL et al.	
Art Unit		N/A	
Examiner Name	N/A		-
Attorney Docket Numb	per	72143	

			••••	Attorney Docket Number		72143	72143			
	<u> </u>									
	1	20020136596		2002-09-26	Mouro		11, 12			
	2	20030074778		2003-04-24	Takeuchi					
If you wis	h to ac	dd additional U.S. Pub	l olished Ap				l d buttoi	n.		
Examiner Initial*	Cite No	Foreign Document Number ³	Country Code ²		Publication 4 Date	Name of Patented Applicant of cited Document	e oi	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear	T 5	
•	1	DE19624242A1	DE		1997-09-18	Martin et al.		1, 2		
.)	2	DE10058628A1	DE		2002-05-29	Schaller et al.				
	3	DE19756059C2	DE		1999-07-01	Pedrotti et al.				
	4	DE3740784A1	DE		1989-06-15	Fuchs				
	5	DE69100970T2	DE		1994-07-28	Galtier et al.				
	6	DE19841410C1	DE		2000-07-20	Dorr				
	7	DE4440029A1	DE		1996-05-15	Mueller-Oehring				

(Not for submission under 37 CFR 1.99)

Application Number		10595304	
Filing Date		2006-04-06	
First Named Inventor	BUHI	et al.	
Art Unit		N/A	
Examiner Name	N/A		
Attorney Docket Numb	er	72143	

	9	DE19949451A1	DE	2001-05-03	Hespelt		
		-					
	10	DE69001700T2	DE	1994-01-05	Galtier		
•	11	FR2054788	FR	1971-05-07	Henri et al.	1, 3, 4, 6 5, 7-9	
	12	DE4011179A1	DE	1991-10-10	Killian	5, 7-9 1-4	
	13	EP1254789A1	EP	2002-06-22	Takeuchi	1-7, 10	
	14	FR2693955A1	FR	1994-01-28	Sirou	10	
If you wis	h to a	dd additional Foreigi		nt citation information per citation information per citation information per citation per citat		button	
Examiner Initials*	Cite No	Million and the second	e author (in CAPI ournal, serial, sym	TAL LETTERS), title o posium, catalog, etc),	f the article (when a	ppropriate), title of the it ume-issue number(s),	tem T5
	1	One Piece Toe Link	Assembly, Disclose	ed anonymously 435041			

(Not for submission under 37 CFR 1.99)

Application Number		10595304	
Filing Date		2006-04-06	<u> </u>
First Named Inventor	BUF	IL et al.	
Art Unit		N/A	
Examiner Name	N/A	<u> </u>	
Attorney Docket Num	ber	72143	

EXAMINER SIGNATURE									
Examiner Signature Date Considered									
		ion is in conformance with MPEP 609. Draw line throof of this form with next communication to applicant.	ough a						
Standard ST.3). ³ For Jap	anese patent documents, the indication of the year of appropriate symbols as indicated on the document up	⁹ 901.04. ² Enter office that issued the document, by the two-letter of the reign of the Emperor must precede the serial number of the pender WIPO Standard ST.16 if possible. ⁵ Applicant is to place a character.	atent document.						

(Not for submission under 37 CFR 1.99)

Application Number		10595304
Filing Date	2.77	2006-04-06
First Named Inventor	BUH	L et al.
Art Unit		N/A
Examiner Name	N/A	
Attorney Docket Number		72143

		CEF	RTIFICATION STATEMENT						
Plea	Please see 37 CFR 1.97 and 1.98 to make the appropriate selection(s):								
	That each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement. See 37 CFR 1.97(e)(1).								
OF	₹								
	That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in 37 CFR 1.56(c) more than three months prior to the filing of the information disclosure statement. See 37 CFR 1.97(e)(2).								
		certification statement.							
		n 37 CFR 1.17 (p) has been subm	itted herewith.						
V	✓ None SIGNATURE								
A signature of the applicant or representative is required in accordance with CFR 1.33, 10.18. Please see CFR 1.4(d) for the form of the signature.									
Sigi	Signature /john james mcglew/ Date (YYYY-MM-DD) 2006-04-10								
Nar	me/Print	John James McGlew	Registration Number	31903					
This	This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the								

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1 hour to complete, including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**